



Bearing Driveshaft do Brasil



12.598 Inch | 319.989 Millimeter x 4.5000 in x 41.7500 in TIMKEN SDAF 23164 Pillow Block Bearings

Bearing No. SDAF 23164

SDAF 23164 Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	839.9
EAN	0087796305809
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Shaft Mount
Housing Style	4 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1-7/8 Inch
Relubricatable	Yes
Insert Part Number	23164
Seals	Triple Ring Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Double Row Heavy Duty Straight Bore
Long Description	4 Bolt Pillow Block; 12.598" Bore; 12-13/16" Base to Center Height; Shaft Mount Mount; Spherical Roller Bearing; 35" Minimum Bolt



Bearing Driveshaft do Brasil

	Spacing; 36-1/2" Bolt Spacing Maximum; Relubricata
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	SDAF 23164
Weight / LBS	1,850
B	12.813 Inch 325.45 Millimeter
D	16.75 Inch 425.45 Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
d	12.598 Inch 319.989 Millimeter
Bolt Spacing Minimum	35 Inch 889Millimeter
Nominal Bolt Center to Center	35.8 Inch 909.3 Millimeter
Bolt Spacing Maximum	36.5 Inch 927.1Millimeter
Diameter S-2	14 in
Diameter S-3	12 1/4 in
A	12.8125 in
B	41.7500 in
C	15.7500 in
D	4.5000 in
E Max.	36.5000 in
E Min.	35.0000 in
F	10.5 in
H ¹	25.7500 in
Oil Level K	4.3750 in



Bearing Driveshaft do Brasil

L ²	16.750 in
4 Base Bolts Req ' d	1.875 in
Housing Only ³	SDAF3164
Bolt Hole Length	2.625 in
Bolt Hole Width	1.875 in
Stabilizing Ring 1 Req ' d ⁴	A8970
Triple Seal 2 Req ' d at S-2	ER876-1
Triple Seal 2 Req ' d at S-3	ER983-1
Assembly Weight	1850.000 lb
Lock Washer	NO64
Lock Plate	P64
Tightening Bolt Size	1 3/4
Full Timken Part Number	SDAF23164