



Bearing Driveshaft do Brasil



SCJT 35 Bearing 2D drawings and 3D CAD models

TIMKEN SCJT 35 Flange Block Bearings

Bearing No. SCJT 35

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	1.08
EAN	0087796110267
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	13.1 Millimeter
Relubricatable	Yes
Insert Part Number	GYAE35RRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Metric
Long Description	2 Bolt Flange Block; 35MM Bore; 130MM Bolt Circle; 130.18MM Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 36.5MM Length Thru Bore; Relubricatable; Double Land Riding



Bearing Driveshaft do Brasil

	Rubber Co
Other Features	Single Row Normal Duty Narrow Inner Race
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	SCJT 35
Weight / LBS	2.37
Cartridge Pilot Diameter	0 Inch 0 Millimeter
D	1.437 Inch 36.5 Millimeter
Nominal Bolt Circle Diameter Round	5.1 Inch 130 Millimeter
d	1.378 Inch 35 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Bolt Spacing	5.125 Inch 130.18 Millimeter
Shaft Size d	1.378 in
Bearing Type	Ball Bearing
Dimension E	1.500 in
Inside Ring Outside Diameter	1.843 in
Series	Standard
Weight	2.381 lb
Seal Type	Narrow Shroud
Total Length H	155.6 mm
Total Height L	92.1 mm
Housing Width A	0.969 in
Bolt Hole Spacing J	130.18 mm
Bolt Hole Size N	13.1 mm
Flange Thickness A1	14.3 mm



Bearing Driveshaft do Brasil

Center of Bearing from Housing End A2	12.3 mm
Inside Ring Width B	36.50 mm
Center of Bearing from Bearing End S	12.3 mm
Static Load Rating	3440 lbf
Dynamic Load Rating	6400 lbf