



Bearing Driveshaft do Brasil



NSK Deep Groove Ball Bearing 6200DDU For Fishing Reel

Bearing No. 6200DDU

6200DDU Bearing 2D drawings and 3D CAD models

Size	10x30x9 mm
Bore Diameter	10 mm
Outer Diameter	30 mm
Width	9 mm
d	10 mm
D	30 mm
B	9 mm
C	9 mm
r min.	0,6 mm
da min.	14 mm
da max	16 mm
Da max.	26 mm
ra max.	0,6 mm
Weight	0,032 Kg
Basic dynamic load rating (C)	5,1 kN
Basic static load rating (C0)	2,39 kN
(Grease) Lubrication Speed	18 000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.032
EAN	0029176063824
Product Group	B00308
Enclosure	2 Seals



Bearing Driveshaft do Brasil

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	10MM Bore; 30MM Outside Diameter; 9MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage; C
Other Features	Deep Groove Rubber Seal
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	6200DDU
Weight / LBS	0.06556
Outer Race Width	0.354 Inch 9 Millimeter
Outside Diameter	1.181 Inch 30 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Bore	0.394 Inch 10 Millimeter
SRI	2.46
hidYobi	6200DDU



Bearing Driveshaft do Brasil

LangID	1
D_	30
SREX	0.03
B_	9
da min	14
hidTable	ecat_NSRDGB
SRE	2.52
mass	0.032
GRS rpm	18000
ra	0.6
SRIX	0.015
D_a	26
SRIN	-0.015
C0	2.39
fo	13.2
SREN	0
DE_	25.262
Prod_Type3	DGBB_SR_DD
DA_	4.762
bomp	0
Z_	8
yobi	6200DDU
C_conv	5100
ALPHA_	0
SDM_	20.5
r	0.6
KBRG	6161
SBRG	2
DI_	15.738